

Quick Couplers



- Precision brass design
- Unrestricted free flow
- 4000 PSI
- Stainless steel band for increased durability



- Zinc plated
- Hardened steel
- 4000 PSI



- Chemical resistant
- 303 stainless steel
- 5500 PSI



- Chemical resistant
- 303 stainless steel
- 5500 PSI

Brass Couplers, designed for 4000 PSI and extended durability. Affordable and rugged all in one.

Part No.	Original No.	Description
9.802-164.0	826169	1/4" FNPT
9.802-166.0	826176	3/8" FNPT
8.916-538.0	Case of 200 (of 9.802-164.0)	- 1/4" FNPT
8.916-537.0	Case of 200 (of 9.802-166.0)	- 3/8" FNPT

Part No.	Original No.	Description
9.802-165.0	826170	1/4" MNPT
9.802-169.0	2-2003	3/8" MNPT
8.916-542.0	Case of 200 (of 9.802-165.0)	- 1/4" MNPT
8.916-541.0	Case of 200 (of 9.802-169.0)	- 3/8" MNPT

Zinc Plated Plugs, hardened steel combined with zinc yellow chromate plating holds up to the harshest environments.

Part No.	Original No.	Description
8.707-136.0	915776	1/4" FNPT
9.802-170.0	915774	3/8" FNPT
8.916-361.0	Case of 200 (of 8.707-136.0)	- 1/4" FNPT
8.916-536.0	Case of 200 (of 9.802-170.0)	- 3/8" FNPT

Part No.	Original No.	Description
8.707-139.0	915786	1/4" MNPT
9.802-171.0	844806	3/8" MNPT
8.916-540.0	Case of 200 (of 8.707-139.0)	- 3/8" MNPT
8.916-539.0	Case of 200 (of 9.802-171.0)	- 3/8" MNPT

Stainless Steel Couplers, made of 303 stainless steel.

Part No.	Original No.	Description
8.707-103.0	826157	1/4" FNPT
8.707-125.0	826159	3/8" FNPT

Part No.	Original No.	Description
8.707-110.0	826158	1/4" MNPT
8.707-135.0	826160	3/8" MNPT

Stainless Steel Plugs, provides long life against corrosion.

Part No.	Original No.	Description
8.707-138.0	915757	1/4" FNPT
8.707-144.0	915759	3/8" FNPT

Part No.	Original No.	Description
8.707-140.0	915758	1/4" MNPT
8.707-152.0	915760	3/8" MNPT

Parker Quick Couplers



- Best name in the industry
- High quality brass construction
- 3500 PSI



- Hardened steel
- Zinc plated
- The industry leader
- 3500 PSI



- Corrosion resistant
- Chemical resistant
- 5500 PSI max



- Chemical resistant
- 5500 PSI max

Parker Brass Couplers are built to stringent standards to provide a durable, safe connection.

Part No.	Original No.	Description
8.707-102.0	844850	1/4" FNPT
8.707-096.0	844852	3/8" FNPT
8.707-108.0	826173	1/2" FNPT

Part No.	Original No.	Description
8.707-095.0	844851	1/4" MNPT
8.707-134.0	844853	3/8" MNPT

Parker Steel Quick Coupler Plugs, are hardened and zinc-plated to provide superior durability.

Part No.	Original No.	Description
8.707-099.0	844856	1/4" FNPT
8.707-156.0	844858	3/8" FNPT
8.707-158.0	915783	1/2" FNPT

Part No.	Original No.	Description
8.707-142.0	844857	1/4" MNPT
8.707-157.0	844859	3/8" MNPT
8.707-160.0	915186	1/2" MNPT

Parker Stainless Steel Quick Couplers, are corrosion resistant.

Part No.	Original No.	Description
8.707-106.0	826171	1/4" FNPT
8.707-125.0	826159	3/8" FNPT
8.707-107.0	826172	1/2" FNPT

Part No.	Original No.	Description
8.707-122.0	826183	3/8" MNPT

Parker Stainless Steel Quick Plugs, have higher working pressure than hardened steel.

Part No.	Original No.	Description
8.707-161.0	915777	1/4" FNPT
8.711-140.0	915780	3/8" FNPT
8.707-162.0	915784	1/2" FNPT

Part No.	Original No.	Description
8.707-141.0	915638	3/8" MNPT

Hansen Quick Connective Couplers



- Precision performance
- Unrestricted bore for free flow
- Resists plug deformation when pressure spikes occur and withstands pump pulse

Built by the company that invented Quick Connective Couplers in 1915. Designed and built to perform even in the toughest pressure washing applications.

Part No. - MPT	Orig. No.	Part No. - FPT	Orig. No.	Description
8.709-436.0	331010	8.709-437.0	331011	1/8" Brass Coupler Socket
8.709-440.0	331015	8.709-442.0	331016	1/4" Brass Coupler Socket
8.709-447.0	331020	8.709-449.0	331021	3/8" Brass Coupler Socket
8.709-453.0	331025	8.709-454.0	331026	1/2" Brass Coupler Socket
8.709-463.0	331045	8.709-462.0	331044	3/4" Brass Coupler Socket
8.709-438.0	331012			1/8" SS Coupler Socket
		8.709-444.0	331017	1/4" SS Coupler Socket
		8.709-564.0	331413	3/8" SS Coupler Socket
		8.709-457.0	331031	1/2" SS Coupler Socket
8.709-478.0	331110	8.709-479.0	331111	1/8" Plugs, Steel, Zinc-plated
8.709-483.0	331115			1/4" Plugs, Steel, Zinc-plated
		8.709-484.0	331116	1/4" Plugs, Steel, Zinc-plated
8.709-490.0	331120			3/8" Plugs, Steel, Zinc-plated
		8.709-492.0	331121	3/8" Plugs, Steel, Zinc-plated
8.709-499.0	331125			1/2" Plugs, Steel, Zinc-plated
		8.709-500.0	331126	1/2" Plugs, Steel, Zinc-plated
8.709-502.0	331127			3/4" Plugs, Steel, Zinc-plated
		8.709-509.0	331144	3/4" Plugs, Steel, Zinc-plated
8.709-486.0	331117			1/4" Plugs, Hardened SS
		8.709-488.0	331118	1/4" Plugs, Hardened SS
8.709-494.0	331122			3/8" Plugs, Hardened SS
		8.709-496.0	331123	3/8" Plugs, Hardened SS
8.709-480.0	331112			1/2" Plugs, Hardened SS
		8.709-481.0	331113	1/2" Plugs, Hardened SS

Pressure Rating Service

Series	W/Steel Plug PSI	W/Brass Plug PSI	W/Stainless Steel PSI
1/8"	2,600	2,500	4,200
1/4"	5,500	5,200	6,700
3/8"	3,500	2,700	5,500
1/2"	2,700	2,200	3,000
3/4"	1,700	1,700	1,700

O-Rings



O-Rings for Hotsy, AP, Hansen, Foster, Parker, and other quick-coupler brands. Buna to 210°F, EPDM to 280°F and Viton to 300°F and aggressive chemicals.

Part No.	Original No.	QC
8.900-026.0	075033	1/8" EPDM
9.802-098.0	926515	1/4" EPDM
9.802-102.0	926516	3/8" EPDM
8.701-985.0	ORE114	1/2" EPDM

Part No.	Original No.	QC
8.707-631.0	926501	1/4" Buna
8.707-632.0	926502	3/8" Buna
8.706-715.0	926505	1/2" Buna
8.702-084.0	075042	1/4" Viton
8.702-088.0	075041	3/8" Viton
8.900-032.0	075040	1/2" Viton

HOTSYS Twist Quick Couplers



- Precision brass design
- Unrestricted free flow
- 4000 PSI max

Swivels, designed for 4000 PSI and extended durability. Affordable and rugged all in one.

Part No.	Original No.	Description
8.717-562.0	826301	1/4" FNPT
8.707-189.0	826300	3/8" FNPT
8.717-568.0	826304	1/2" FNPT

Part No.	Original No.	Description
8.717-561.0	826303	1/4" MNPT
8.717-560.0	826302	3/8" MNPT
8.717-567.0	826305	1/2" MNPT



- Zinc plated
- Hardened steel
- 4000 PSI max

Zinc Plated Nipples, hardened steel combined with zinc yellow chromate plating holds up to the harshest environments.

Part No.	Original No.	Description
8.717-564.0	826291	1/4" FNPT
8.707-187.0	826290	3/8" FNPT
8.717-566.0	826294	1/2" FNPT

Part No.	Original No.	Description
8.717-563.0	826293	1/4" MNPT
8.707-188.0	826292	3/8" MNPT
8.717-565.0	826295	1/2" MNPT

Replacement O-rings, for HOTSYS twist coupler, Buna-n.

Part No.	Original No.	Description
8.717-230.0	926660	Replacement O-ring

Two-Gun Tee Coupler



Two-Gun Tee Coupler makes switching from one gun to two a snap. 3/8" quick coupler fittings good up to 4000 PSI.



- For use with dual gun systems
- Couples onto outlet nipple
- 3/8" couplers

Part No.	Original No.	Description
8.902-421.0	2-2014	Two Gun Splitter

Spring Clamps



Spring tension, speed mount clamps

Part No.	Original No.	Description
9.802-210.0	823988	Spring Clamps - .46 - .54
8.709-116.0	823989	Spring Clamps - .40 - .48

Hose Clamps

Warning: Low pressure use only! Not for use on pressure washer discharge hose.



- Stainless steel band and housing
- Worm gear tensions



- Nylon "Speedi-Clamp" tightens with a snap
- Releases with a twist

Part No.	Original No.	Band	OD	Min - Max
9.802-200.0	823911	4mm	5/16"	.25 - .63
9.802-201.0	823938	5mm	5/16"	.38 - .88
9.803-559.0	631009	10mm	5/16"	.50 - 1.06
8.710-458.0	358015	H8	1/2"	.44 - .91
8.710-459.0	358018	H10	1/2"	.56 - 1.06
8.710-460.0	358019	H12	1/2"	.69 - 1.25
8.709-119.0	823935	H16	1/2"	.75 - 1.50
8.710-463.0	358022	H24	1/2"	1.06 - 2.00
8.710-464.0	358024	H32	1/2"	1.56 - 2.50

8.904-167.0*	358001X	1/4" ID Speedi-Clamps
8.904-168.0*	358004X	3/8" ID Speedi-Clamps
8.904-169.0*	358006X	1/2" ID Speedi-Clamps

*50 Pack

Twist Seal Couplers

Allows U.S. Standard Hoses to Connect to European (22mm) Fittings.

- Internal O-ring seal
- Machined brass body
- High-impact plastic knob
- 7.8 GPM
- 3600 PSI
- 302°F



Part No.	Original No.	Description
8.709-522.0	331205	1/4" FPT
8.709-530.0	331207	3/8" FPT
9.802-173.0	331204	1/4" MPT
8.709-526.0	331206	3/8" MPT

Plugs are made of heavy-duty machined brass for a safe and leak free connection.



Part No.	Original No.	Description
8.709-540.0	331305	1/4" FPT
8.709-546.0	331307	3/8" FPT
8.709-536.0	331304	1/4" MPT
8.709-543.0	331306	3/8" MPT

O-rings, viton

Part No.	Original No.	Description
8.704-036.0	109286	O-rings (Viton)

Double Quality Twist Seal Couplers



Couples U.S. Standard Pipe Threads to 22mm European Fittings Found on Imported Pressure Washer.

- Internal O-ring with back ring seal assures no-leak operation
- Oversized high-impact plastic knob
- Machined brass body
- 7.8 GPM
- 4000
- 302°F
- 3.9 to 4.2 oz weight



Sockets

Part No.	Original No.	Description
8.709-524.0	331205PA	1/4" FPT
8.709-531.0	331207PA	3/8" FPT
8.709-534.0	331209PA	1/2" FPT



Plugs

8.709-521.0	331204PA	1/4" MPT
8.709-528.0	331206PA	3/8" MPT
8.709-533.0	331208PA	1/2" MPT

Part No.	Original No.	Description
8.709-542.0	331305PA	1/4" FPT
8.709-548.0	331307PA	3/8" FPT
8.709-553.0	331309PA	1/2" FPT

8.709-539.0	331304PA	1/4" MPT
8.709-545.0	331306PA	3/8" MPT
8.709-551.0	331308PA	1/2" MPT



O-rings

Part No.	Original No.	Description
8.704-036.0	109286	O-rings (Viton)
8.704-037.0	109287	Back Ring

11,000 PSI Quick Couplers

Snaptite Quick Sockets and Plugs are precision built for extreme high pressure.

- 11,000 PSI
- -40°F to 250°F
- Zinc Chromate



Part No.	Original No.	Description
8.707-115.0	2-20023	1/4" FPT Socket
8.707-116.0	2-200231	1/4" MPT Socket
9.802-167.0	2-20021	3/8" FPT Socket
8.707-117.0	2-20024	1/4" FPT Plug
8.707-121.0	2-20028	1/4" MPT Plug
9.802-168.0	2-20022	3/8" FPT Plug
8.707-120.0	2-20027	3/8" MPT Plug
9.804-043.0	2-0132	1/4" Replacement O-Ring
8.706-712.0	2-01321	3/8" Replacement O-Ring

Double Shut-Off Couplers & Plugs



331501

331401

- Quick disconnect without drips and leaks
- Indispensable for in-plant multiple station systems
- Machined construction brass, zinc plated steel or stainless steel

Part No.	Original No.	Description	PSI
8.709-556.0	331401	1/8" FPT Socket (Brass)	3000
8.709-557.0	331405	1/4" FPT Socket (Brass)	2700
8.709-558.0	331406	3/8" FPT Socket (Stl Zinc)	3700
8.709-559.0	331407	3/8" FPT Socket (Brass)	2200
8.709-560.0	331408	1/2" FPT Socket (Brass)	2250
8.709-561.0	331409	1/2" FPT Socket (SS)	4250
8.709-562.0	331410	3/4" FPT Socket (Brass)	2000
8.709-580.0	331501	1/8" FPT Plugs (Brass)	3000
8.709-581.0	331505	1/4" FPT Plugs (Brass)	2700
8.709-583.0	331507	3/8" FPT Plugs (Brass)	2200
8.709-584.0	331508	1/2" FPT Plugs (Brass)	2250



- Nitrile up to 210°F
- Use Viton for 230°F and above

Replacement O-rings

8.701-994.0	ORN013	O-ring 1/8" Nitrile
8.702-015.0	ORN110	O-ring 1/4" Nitrile
8.702-017.0	ORN112	O-ring 3/8" Nitrile
8.702-021.0	ORN114	O-ring 1/2" Nitrile
8.702-084.0	ORV110	O-ring 1/4" Viton
8.702-088.0	ORV112	O-ring 3/8" Viton
8.702-090.0	ORV114	O-ring 1/2" Viton

90° Swivels



Excellent for Carwash Booms and Hose Reels. Remarkable value, comparable to best swivels made.

- Forged Brass Body
- 4000 PSI
- 225°F

Part No.	Original No.	Description
8.712-460.0	421043	3/8" M x 3/8" F
8.712-461.0	421044	3/8" F x 3/8" F
8.712-462.0	421045	1/2" M x 1/2" F
8.712-463.0	421046	1/2" F x 1/2" F
8.712-464.0	421047	1/2" M x 3/8" F
8.712-469.0	421063	3/8" F x 3/4" M with 3/8" inside thread
8.900-855.0	110025	Repair Kit

Swivels - Right Angle



8.712-449.0

8.712-448.0

- 360° swivel rotation
- 3000 PSI - Brass
- 5000 PSI - SS

Part No.	Original No.	Description
8.712-448.0	421018	Swivel - Stainless Steel 3/8"
8.712-450.0	421020	Swivel - Brass 3/8"
8.712-449.0	421019	Swivel - Brass 1/2"
8.700-287.0	075130	Repair Kit - 3/8"
8.700-285.0	075128	Repair Kit - 1/2"

Stainless Steel High Pressure & Economy Brass Swivels



- 10.5 GPM (SS)
- 7.8 GPM (brass)
- 320°F (SS)
- 195°F (brass)
- Highly resistant to harsh chemicals
- "Live" swivel at full pressure
- 6 oz weight

Part No.	Original No.	Description
8.712-456.0	876048	Swivel - 1/4" M x F
8.712-455.0	875455	Swivel - 3/8" M x F
8.712-452.0	722939	Swivel - 3/8" M x F
8.704-096.0	109542	Repair Kit for 8.712-456.0 and 8.712-455.0

Gun Swivel



Made of corrosion-resistant material and stainless steel self-lubricated bearings the new gun swivel offers highest quality Swiss made craftsmanship.



- 4000 PSI
- 250°F temperature
- 30 RPM

Part No.	Original No.	Description
8.712-467.0	421057	Gun Swivel DGV - 1/4" NPTF
8.712-466.0	421056	Gun Swivel DVG - 3/8" NPTF

Swivels



- Swivels even at 3000 PSI
- Brass housing
- Stainless steel flow-through bolt
- Close tolerance fit assures leakproof seal
- Teflon® ring provides free swivel

Part No.	Original No.	Description
8.904-551.0	421010A	3/8" MPT x FPT*
8.904-552.0	421012A	3/8" FPT x FPT*
8.904-553.0	421014	3/8" MPT x FPT, Brass
8.904-554.0	421015	3/8" FPT x FPT, Brass
8.900-764.0	109198	Seal Kit
8.900-765.0	109199	Rebuild Kit

*Long Body Style

Stainless Steel Swivels



- Swivels even at 4000 PSI
- 200°F
- All stainless construction
- Teflon® swivel ring
- Rebuildable
- 3/8" in and out

Part No.	Original No.	Description
8.712-446.0	421016	3/8" MPT x FPT
8.712-447.0	421017	3/8" FPT x FPT
8.900-764.0	109198	Seal Kit
8.900-765.0	109199	Rebuild Kit

Swivels - Ball Bearing



8.712-479.0

8.712-438.0

Swivels freely even at maximum pressure level noted below.

- MPT x FPT all sizes
- Brass and Stainless Steel materials

Part No.	Original No.	Description	PSI
8.712-438.0	421004	1/4"	2000
8.712-439.0	421005	1/4"	3500
8.712-440.0	421006	3/8"	2000
8.712-441.0	421007	3/8"	3500
8.712-479.0	421080	1/4" 90°	3500
8.700-263.0	075060	Repair Kit	

Swivels - Stainless Steel Ball Bearing



- Hardened stainless steel body
- Nitrile Buna seals
- 3500 PSI
- 180°F
- M x F NPT thread
- Ball-bearing design ensures free swivel action under pressure
- Suitable for extended wear application

Part No.	Original No.	Description
8.712-457.0	421034	1/4", 6.8 GPM
8.700-460.0	076102	Repair Kit for 421034
8.712-458.0	421036	3/8", 10.6 GPM
8.700-459.0	076101	Repair Kit for 421036
8.712-459.0	875456	1/2", 27.0 GPM
8.700-461.0	076103	Repair Kit for 421038
8.707-008.0	875457	1/4" Vitron, 350°F
8.707-009.0	875458	3/8" Vitron, 350°F
8.707-010.0	875459	1/2" Vitron, 350°F

Adapters - Brass



Part No.	Orig. No.	FPT x MPT	Part No.	Orig. No.	FPT x MPT
8.705-186.0	140651	1/8" x 1/8"	8.705-192.0	140657	1/2" x 1/4"
9.803-054.0	600196	1/4" x 1/8"	8.705-191.0	600076	1/2" x 3/8"
8.705-188.0	722812	1/4" x 1/4"	9.802-148.0	600198	1/2" x 1/2"
8.705-185.0	140650	3/8" x 1/8"	8.705-194.0	140660	3/4" x 1/2"
9.802-046.0	615279	3/8" x 1/4"	8.705-195.0	140662	3/4" x 3/4"
8.705-190.0	602060	3/8" x 3/8"			

Bushings - Brass



Part No.	Orig. No.	MPT x FPT	Part No.	Orig. No.	MPT x FPT
9.803-564.0	722746	1/4" x 1/8"	8.705-132.0	722751	1/2" x 3/8"
8.705-130.0	722749	1/2" x 1/8"	8.705-133.0	722739	3/4" x 3/8"
9.804-015.0	722747	3/8" x 1/8"	9.802-136.0	722740	3/4" x 1/2"
8.705-129.0	110185	3/8" x 1/4"			
9.802-135.0	722750	1/2" x 1/4"			

Hex Couplings - Brass



Part No.	Orig. No.	FPT	Part No.	Orig. No.	FPT
8.705-150.0	722730	1/8"	8.705-153.0	722733	1/2"
8.705-151.0	722731	1/4"	8.705-154.0	140462	3/4"
8.705-152.0	722732	3/8"			

Reducing Hex Couplings - Brass



Part No.	Orig. No.	FPT x FPT	Part No.	Orig. No.	FPT x FPT
8.705-155.0	140502	1/4" x 1/8"	8.705-158.0	722738	1/2" x 3/8"
8.705-156.0	722736	3/8" x 1/4"	8.705-159.0	722734	3/4" x 1/2"
8.705-157.0	140505	1/2" x 1/4"			

JIC Nipples



Part No.	Orig. No.	Description	Material
9.802-127.0	860619	1/2" JIC x 3/8" MPT	Brass
9.802-128.0	799419	1/2" JIC x 1/2" MPT	Brass
9.802-037.0	898111	1/2" JIC x 3/8" FPT	Steel
9.802-036.0	799515	1/2" JIC x 3/8" MPT	Steel

Hex Double Nipples - Brass



Part No.	Orig. No.	MPT x MPT	Part No.	Orig. No.	MPT x MPT
8.705-224.0	140752	1/8" x 1/8"	9.803-989.0	898129	1/2" x 1/2"
9.802-108.0	722770	1/4" x 1/4"	8.705-233.0	140762	3/4" x 3/4"
8.705-228.0	110131	3/8" x 3/8"	8.705-234.0	140764	1" x 1"

Noed Anchor Connectors



Part No.	Original No.	Description	Mounting Hole Dia
8.705-141.0	631017	1/4"	3/4"
9.802-149.0	631007	3/8"	1"
9.802-150.0	631008	1/2"	1-1/8"

Hex Reducing Nipples - Brass



Part No.	Orig. No.	MPT x MPT	Part No.	Orig. No.	MPT x MPT
8.705-225.0	722771	1/4" x 1/8"	8.705-229.0	140757	1/2" x 1/4"
8.705-223.0	140751	3/8" x 1/8"	9.803-276.0	722774	1/2" x 3/8"
8.705-227.0	722773	3/8" x 1/4"	9.803-556.0	877455	3/4" x 1/2"

Nipples - Brass



Close Nipple

Part No.	Orig No.	Description	Part No.	Orig No.	Description
8.705-201.0	140702	1/8" Close	8.705-207.0	698200	1/4" x 2-1/2"
8.705-204.0	140710	1/4" Close	8.705-212.0	140721	3/8" x 1-1/2"
8.705-211.0	897956	3/8" Close	8.705-213.0	140723	3/8" x 2-1/2"
9.802-109.0	897952	1/2" Close	8.705-214.0	898037	3/8" x 3"
8.705-220.0	140740	3/4" Close	8.705-217.0	140731	1/2" x 1-1/2"
8.705-202.0	140703	1/8" x 1-1/2"	8.705-218.0	140733	1/2" x 3"
8.705-203.0	140705	1/8" x 2-1/2"	8.705-221.0	140742	3/4" x 2"
8.705-205.0	140711	1/4" x 1-1/2"	8.705-222.0	140744	3/4" x 3"
8.705-206.0	140712	1/4" x 2"			

90° Elbows - Brass



Part No.	Original No.	Description
8.705-160.0	140552	1/8" FPT
8.705-161.0	844619	1/4" FPT
9.802-113.0	844623	3/8" FPT
9.803-265.0	844629	1/2" FPT
8.705-164.0	140562	3/4" FPT

8.705-169.0	140584	1/4" x 1/4" MPT
8.705-171.0	140586	3/8" x 3/8" MPT
8.705-173.0	140588	1/2" x 1/2" MPT

90° JIC Elbows - Brass



Part No.	Original No.	Description
9.802-129.0	661354	1/2" JIC x 3/8" MPT
8.706-904.0	661368	1/2" JIC x 3/8" FPT
9.802-131.0	661355	1/2" JIC x 1/2" MPT
9.802-132.0	644601	3/4" JIC x 1/2" MPT
9.803-557.0	661300	3/4" JIC x 3/4" MPT

90° Reducing Elbows - Brass



Part No	Original No.	Description
8.705-165.0	661363	1/4" F x 1/8" F
8.705-166.0	140577	3/8" F x 1/4" F

8.705-168.0	140583	1/4" x 1/8" MPT
8.705-167.0	140582	3/8" x 1/8" MPT
8.705-170.0	140585	3/8" x 1/4" MPT
8.705-172.0	140587	1/2" x 3/8" MPT

COUPLERS, FITTINGS & FILTERS

Street Elbows - Brass



Part No.	Original No.	Description
8.705-174.0	661403	1/8" M x F - 90°
9.803-839.0	844778	1/4" M x F - 90°
9.802-114.0	140606	3/8" M x F - 90°
9.802-115.0	844758	1/2" M x F - 90°
9.803-555.0	844760	3/4" M x F - 90°



8.705-180.0	140632	1/8" M x F - 45°
8.705-181.0	722800	1/4" M x F - 45°
8.705-182.0	722801	3/8" M x F - 45°
8.705-183.0	722802	1/2" M x F - 45°
8.705-184.0	140642	3/4" M x F - 45°

Extruded or Forged Tees - Brass



Part No.	Original No.	Description
8.705-246.0	140852	1/8" F
8.705-247.0	722792	1/4" F
8.706-843.0	954812	3/8" F
9.802-117.0	140858	1/2" F
8.705-251.0	140862	3/4" F

Male Branch Tees - Brass



Part No.	Original No.	Description
9.802-120.0	722804	1/4"
8.705-254.0	890789	3/8"
8.705-255.0	140879	1/2"

Street Tees - Brass



Part No.	Original No.	Description
8.706-857.0	2-10391	1/8"
9.802-121.0	722808	1/4"
8.705-257.0	110273	3/8"
9.802-122.0	954717	1/2"
8.705-259.0	140890	3/4"

Female Crosses - Brass Extruded



Part No.	Original No.	Description
8.705-196.0	140664	1/4"
8.705-197.0	140666	3/8"
9.802-119.0	640001	1/2" Cast
8.705-198.0	140668	1/2"
8.705-199.0	140672	3/4"

Check Hose Barbs - Brass



- 1/4" MPT X 1/4" barb
- Buna or Viton check ball

Part No.	Original No.	Description
8.904-389.0	385128	Viton
8.904-390.0	385129	Buna

Hose Barbs - Brass



90° Barb x MPT



Straight Barb x MPT

Part No.	Orig No.	Barb x MPT	Part No.	Orig No.	Barb x MPT
90° Barb			90° Barb		
9.802-142.0	799489	1/4" x 1/8"	8.705-121.0	140375	1/2" x 1/4"
9.802-143.0	799502	1/4" x 1/4"	8.705-122.0	140376	1/2" x 3/8"
8.707-016.0	799501	3/8" x 1/4"	8.705-123.0	140377	1/2" x 1/2"
8.707-023.0	799500	3/8" x 3/8"	8.705-125.0	140379	5/8" x 3/8"
8.705-120.0	140374	3/8" x 1/2"	8.705-126.0	140384	5/8" x 1/2"
Straight Barb			Straight Barb		
8.705-097.0	140350	1/8" X 1/4"	8.706-773.0	698028	3/8" x 1/2"
9.802-137.0	140352	1/4" X 1/8"	8.705-100.0	140353	3/8" x 3/4"
9.802-138.0	698020	1/4" x 1/4"	8.705-110.0	140363	1/2" x 1/4"
8.705-102.0	698023	1/4" x 3/8"	8.705-111.0	140364	1/2" x 3/4"
8.706-068.0	698036	1/4" x 1/2"	8.705-107.0	140360	5/8" x 3/8"
8.705-098.0	140351	3/8" x 1/8"	9.802-140.0	140365	5/8" x 1/2"
8.705-104.0	698021	3/8" x 1/4"	8.705-113.0	140366	5/8" x 3/4"
8.706-067.0	698024	3/8" x 3/8"			



Barb x Honda Oil Drain

Part No.	Original No.	Barb x MPT
9.802-154.0	830588	1/4" x Honda Oil Drain

Part No.	Original No.	Steel Barb x MPT
8.706-335.0	698031	3/4" x 1/2"
8.706-774.0	698034	3/4" x 3/4"
8.706-337.0	698025	1/2" x 3/8"
8.705-109.0	698029	1/2" x 1/2"

Push-N-Lock Barbs



Part No.	Original No.	Description
Barb x MPT		
8.705-069.0	140252	1/4" x 1/8"
8.705-070.0	140254	1/4" x 1/4"
8.705-071.0	140255	1/4" x 3/8"
8.705-072.0	140256	3/8" x 1/8"
8.705-073.0	140257	3/8" x 1/4"
8.705-074.0	140258	3/8" x 3/8"
8.705-075.0	140259	3/8" x 1/2"
8.705-076.0	140260	3/8" x 3/4"
8.705-077.0	140261	1/2" x 1/4"
9.802-156.0	798976	1/2" x 3/8"
8.705-079.0	798977	1/2" x 1/2"
8.705-080.0	140264	1/2" x 3/4"
8.705-081.0	140265	5/8" x 3/8"
8.705-082.0	140266	5/8" x 1/2"
8.705-083.0	140267	5/8" x 3/4"
8.705-084.0	799413	3/4" x 1/2"
8.706-774.0	698034	3/4" x 3/4"
Barb x Barb		
8.705-064.0	140200	1/4" x 1/4"
8.705-065.0	140204	3/8" x 3/8"
8.705-066.0	140208	1/2" x 1/2"
8.705-067.0	140210	5/8" x 5/8"
8.705-068.0	140212	3/4" x 3/4"
Barb x JIC Swivel - Female		
9.802-153.0	799490	1/4" x 1/4"
9.802-152.0	644602	3/4" x 3/4"



Barb x Barb



Barb x JIC Swivel

Swivel Hose Barbs - Low Pressure



- 300 PSI
- 210°F
- Brass MPT base with steel hose barb
- Swivel easily at low pressure to eliminate twists and tangles in chemical or water lines

Part No.	Original No.	Description
8.705-050.0	140079	1/4" x 1/4"
8.705-052.0	140081	3/8" x 3/8"
8.705-053.0	140083	1/2" x 1/2"

Orificed Hose Barb



- Inexpensive way to create suction on inlet side of pump
- Used in-line from float tank to pump
- One-piece machined brass
- 3/8" MPT x 5/8" barb
- Standard orifice 5/32" – Drill up to 3/8" to fit your need

Part No.	Original No.	Description
8.705-093.0	140320	Orificed Hose Barb

Drain Cocks



Part No.	Original No.	Description
8.705-060.0	140125	1/4" Fuel Drain w/Tee Handle
8.705-061.0	140127	1/4" Fuel Drain w/Barb & Tee Handle

Hex Head Plugs



Part No.	Original No.	Description
8.705-236.0	140802	1/8"
8.705-238.0	140804	1/4"
8.705-240.0	140806	3/8"
9.803-673.0	140808	1/2"
8.705-244.0	140810	3/4"

Hex Socket Head Plugs



Part No.	Original No.	Description
9.803-051.0	140802A	1/8"
9.802-124.0	140804A	1/4"
8.705-241.0	140806A	3/8"
8.705-243.0	140808A	1/2"

Pipe Thread Hex Nuts



Part No.	Original No.	Description
8.705-041.0	140062	1/8"
8.705-042.0	140064	1/4"
8.705-043.0	140065	3/8"
8.705-044.0	140067	1/2"
8.705-045.0	140070	3/4"

Garden Hose Fittings

- MGH = Male Garden Hose
- FGH = Female Garden Hose
- Heavy-duty Machined Brass Fittings



9.802-147.0



8.705-034.0



8.709-460.0



9.804-016.0



9.802-145.0



8.705-087.0

Part No.	Original No.	Description
----------	--------------	-------------

Swivel Fittings

8.705-032.0	140050	3/4" FGH x 1/4" MPT
9.802-147.0	801126	3/4" FGH x 3/8" MPT
9.802-146.0	801139	3/4" FGH x 1/2" MPT
8.705-033.0	801121	3/4" FGH x 1/2" FPT (S-1)
8.705-034.0	722864	3/4" FGH x 3/4" FPT (S-2)
8.705-035.0	140055	3/4" FGH x 3/4" FGH (S-3)
8.705-008.0	140002	3/4" FGH x 1/2" Barb
8.705-009.0	140004	3/4" FGH x 5/8" Barb
8.705-010.0	140006	3/4" FGH x 3/4" Barb

Garden Hose Quick Couplers

8.709-460.0	331040	Female Hose Coupler
8.709-508.0	331140	Male Hose Plug

Garden Hose Accessories

8.705-016.0	140020	Garden Hose Washer
9.804-016.0	140015	Filter Screen Washer (30 mesh)

Solid Fittings

8.705-024.0	140036	3/4" MGH x 3/8" MPT
9.802-145.0	600242	3/4" MGH x 1/2" MPT
8.705-026.0	722855	3/4" MGH x 3/4" MPT
8.705-019.0	140028	3/4" FGH x 1/2" FPT
8.705-020.0	140030	3/4" FGH x 3/4" FPT
8.705-022.0	140032	3/4" FGH x 1/2" MPT
8.705-023.0	140034	3/4" FGH x 3/4" MPT
8.705-018.0	140026	3/4" FGH X 3/4" FGH (SS)

Hose Barb Fittings

8.705-086.0	140301	3/8" Barb x 3/4" MGH
8.705-087.0	140303	1/2" Barb x 3/4" MGH
8.705-088.0	140305	5/8" Barb x 3/4" MGH
8.705-089.0	140307	3/4" Barb x 3/4" MGH
8.705-091.0	140317	3/8" Barb x 3/4" FGH
8.705-092.0	140319	1/2" Barb x 3/4" FGH
8.705-094.0	140321	5/8" Barb x 3/4" FGH
8.705-095.0	140323	3/4" Barb x 3/4" FGH

Teflon® Thread Sealing Tape



- Big 1/2" x 520" roll
- Mil - spec #T27730

Part No.	Original No.	Description
8.704-705.0	952791	Thread Sealing Tape

COUPLERS, FITTINGS & FILTERS

Zinc Plated Heavy Wall Steel Pipe Fittings

- Up to 6000 PSI working pressure (18000 PSI burst)
- Attractive zinc-plated protective coating
- US standard taper pipe threads

Adapters



Part No.	Original No.	MPT x FPT	PSI
8.705-356.0	142404	1/4" x 1/4"	6000
8.705-357.0	142405	1/4" x 3/8"	6000
9.804-553.0	142406	3/8" x 3/8"	6000
8.705-359.0	142407	3/8" x 1/2"	5000
8.705-360.0	142408	1/2" x 1/2"	5000
8.705-361.0	142409	1/2" x 3/4"	4000
8.705-362.0	142412	3/4" x 3/4"	4000

Coupling Hex



Part No.	Original No.	FPT x FPT	PSI
8.705-364.0	142415	1/4" x 1/4"	6000
8.705-366.0	142417	3/8" x 3/8"	6000
8.705-369.0	142420	1/2" x 1/2"	5000
8.705-371.0	142422	3/4" x 3/4"	5000

Reducing Couplings

8.711-114.0	626147	1/4" x 1/8"	4000
8.705-365.0	142416	3/8" x 1/4"	6000
8.705-367.0	626150	1/2" x 3/8"	5000
8.705-368.0	142419	1/2" x 1/4"	5000
8.706-142.0	626148	3/4" x 1/4"	4000
8.706-976.0	626182	3/4" x 1/2"	3000
8.705-370.0	626153	3/4" x 1/2"	4000

Hex Nipple



Part No.	Original No.	MPT x MPT	PSI
9.802-010.0	801074	1/4" x 1/4"	6000
9.802-011.0	142427	3/8" x 3/8"	6000
9.802-012.0	142430	1/2" x 1/2"	6000
8.705-380.0	142434	3/4" x 3/4"	6000

9.802-022.0	142426	3/8" x 1/4"	6000
8.705-375.0	142428	1/2" x 1/4"	6000
8.705-376.0	142429	1/2" x 3/8"	6000
8.705-379.0	142431	3/4" x 1/2"	6000

JIC Nipple



Part No.	Orig. No.	Description	PSI
9.802-037.0	898111	1/2" x 3/8" FPT	5000
9.802-036.0	799515	1/2" x 3/8" MPT	4500

Close Nipple



Part No.	Original No.	Description
8.705-972.0	697930	1/4" Sched 80
8.706-004.0	697931	3/8" Sched 80
8.706-001.0	697932	1/2" Sched 80

Street Elbow



Part No.	Original No.	MPT x FPT	PSI
9.802-029.0	142438	1/4" x 1/4"	5000
9.804-080.0	142439	1/4" x 3/8"	4500
9.802-030.0	142440	3/8" x 3/8"	4500
8.705-384.0	142441	3/8" x 1/2"	3000
9.803-045.0	142442	1/2" x 1/2"	3000
8.705-386.0	142443	1/2" x 3/4"	3000
8.705-387.0	142444	3/4" x 3/4"	3000

Elbow - 90°



Part No.	Orig. No.	FPT x FPT	PSI	Part No.	Orig. No.	FPT x FPT	PSI
8.705-393.0	142504	1/4"x1/4"	5000	8.705-398.0	142509	1/2"x3/4"	4000
8.705-394.0	142505	1/4"x3/8"	4500	8.706-181.0	644761	3/4"x3/4"	4000
8.705-396.0	142507	3/8"x1/2"	3000	9.802-023.0	142506	3/8"x3/8"	4500
8.706-149.0	644624	1/2"x1/2"	4000	45° Elbow			
8.705-397.0	644626	1/2"x1/2"	4800	8.706-279.0	644755	1/2"x1/4"	4500
				90° Elbow			
				MPT x MPT			
				9.803-044.0	722826	3/8"x3/8"	4000

Street Tee



Part No.	Original No.	MPT x FPT x MPT	PSI
8.705-428.0	891144	1/4"	5000
9.802-033.0	954718	3/8"	4500
9.802-034.0	890849	1/2"	3000
8.705-431.0	142687	3/4"	3000

Tee - 3 Connects



Part No.	Orig No.	FPT	PSI	Part No.	Orig No.	FPT	PSI
8.706-062.0	754699	1/4"	4000	9.802-032.0	754717	1/2"	3000
8.705-412.0	142654	1/4"	5000	8.706-064.0	754709	1/2"	4000
8.705-414.0	754711	3/8"	4500	8.705-417.0	142662	3/4"	3000

Cross - 4 Connects



Part No.	Orig No.	FPT	PSI	Part No.	Orig No.	FPT	PSI
8.705-418.0	142664	1/4"	5000	8.705-420.0	142668	1/2"	3000
8.705-254.0	890789	3/8"	4500	9.802-121.0	722808	3/4"	3000

Reducing Bushing - 6000 PSI



Part No.	Orig. No.	MPT x FPT	Part No.	Orig. No.	MPT x FPT
8.706-283.0	615277	1/4" x 1/8"	8.706-138.0	615291	3/4" x 3/8"
9.802-046.0	615279	3/8" x 1/4"	8.706-300.0	615293	3/4" x 1/2"
8.706-292.0	615283	1/2" x 1/4"	8.706-139.0	615297	1" x 3/4"
9.802-045.0	815220	1/2" x 3/8"			

Hex Pipe Plugs - 6000 PSI



Part No.	Orig. No.	Size	Part No.	Orig. No.	Size
9.803-530.0	142701	1/4"	8.705-434.0	142703	1/2"
8.705-433.0	142702	3/8"	8.705-435.0	142704	3/4"

Pipe Nipple - Zinc



Part No.	Orig. No.	Length x MPT	PSI
8.705-440.0	142800	2" x 1/4"	6000
8.705-441.0	142801	3" x 1/4"	6000
8.705-442.0	142802	4" x 1/4"	6000
8.705-443.0	142803	2" x 3/8"	6000
8.705-444.0	142804	3" x 3/8"	6000
8.705-445.0	142805	4" x 3/8"	6000
8.705-446.0	142806	2" x 1/2"	6000

Part No.	Orig. No.	Length x MPT	PSI
8.705-447.0	142807	3" x 1/2"	6000
8.705-448.0	142808	4" x 1/2"	6000
8.705-449.0	142808T	5" x 1/2"	6000
8.705-450.0	142810	2" x 3/4"	6000
8.705-451.0	142811	3" x 3/4"	6000
8.705-452.0	142812	4" x 3/4"	6000
8.705-453.0	142813	6" x 3/4"	6000

Galvanized Pipe Fittings

- Pressed steel fittings - external galvanized for excellent chemical resistance
- Ideal for supply line (city water pressure) applications (working pressure rating 125 PSI)

NOT recommended for high pressure piping applications

Pipe Street Elbows



Part No.	Orig. No.	MPT x FPT	Part No.	Orig. No.	MPT x FPT
8.705-407.0	142604	1/4"	8.705-409.0	142608	1/2"
8.705-408.0	142606	3/8"	8.705-410.0	142610	3/4"

90° Elbows



Part No.	Orig. No.	FPT	Part No.	Orig. No.	FPT
8.705-403.0	142552	1/4"	8.705-405.0	142558	1/2"
8.705-404.0	142556	3/8"	8.705-406.0	142560	3/4"

Pipe Tees



Part No.	Orig. No.	FPT	Part No.	Orig. No.	FPT
8.705-456.0	142854	1/4"	8.705-459.0	142858	1/2"
8.705-458.0	142856	3/8"	8.705-461.0	142868	3/4"

Pipe Couplings



Part No.	Original No.	Description
8.706-135.0	626208	1/4" Sched 40
8.705-364.0	626210	1/4" 3000# wp
8.706-145.0	626209	3/8" Sched 40
8.706-137.0	626237	3/8" Sched 80
8.705-366.0	631027	3/8" 6000# wp
8.706-146.0	626211	1/2" Sched 40
8.706-977.0	626243	1/2" 3000# wp
8.706-147.0	626212	3/4" Sched 40

Banded Coupling



Part No.	Original No.	FPT
8.705-436.0	142754	1/4"
8.705-437.0	142756	3/8"
8.705-438.0	142758	1/2"
8.705-439.0	142760	3/4"

Pipe Nipples - Galvanized



Part No.	Orig. No.	Description
9.803-043.0	698194	1/4"x2" Sched 40
8.705-984.0	698216	3/8"x1/2" Sched 40
8.706-061.0	698217	3/8"x2" Sched 40
8.705-981.0	698245	1/2"x1/2" Sched 80
8.706-053.0	698243	1/2"x1-1/2" Sched 40
8.706-054.0	698241	1/2"x2-1/2" Sched 40
9.802-012.0	698247	1/2"x2" 7000# wp
8.705-991.0	698256	1/2"x4-1/2" 3000# wp

"The Big One"



Larger, heavier, and with more filtering area than competitors' filters



- Corrosion-resistant plastic
- Stepped 1/4" & 3/8" hose barb
- Weighted to hold onto bottom of tank

Part No.	Orig. No.	Description
8.709-938.0	875748	w/ Check Valve
8.709-939.0	340026	w/o Check Valve

Brass Chemical Filter



50 mesh stainless steel screen. Removable mesh for easy cleaning. Heavy-duty one-piece brass body holds the filter on the bottom of tank.



Part No.	Orig. No.	Description
9.803-672.0	2-1905	With Check Valve
8.709-934.0	2-1907	Without Check Valve

- 1/4" hose barb
- Stainless steel check ball

Plastic Chemical Strainer



Polypropylene and Brass Construction

Part No.	Orig. No.	Description
8.709-935.0	340014	w/Check Valve
9.802-160.0	875582	w/o Check Valve

- 7mm hose barb

Side Outlet Elbow



Part No.	Orig. No.	Description
8.706-190.0	644700	3/8" Sched 40

Green-Cap Inline Filter

The Original Green-Cap!



- 6 GPM max flow
- 40 mesh stainless screen
- Diecast metal housing/ plastic cap
- 1/2" FPT inlet
- 1/2" MPT outlet
- Two 1/4" side ports
- 145 PSI max pressure



Part No.	Original No.	Description
8.709-961.0	677018	Green Cap Filter
8.701-383.0	725869	Replacement Screen
8.701-382.0	725868	Replacement Cap
8.705-900.0	726178	O-Ring, Green Cap

All Metal Inline Filter



- Die-cast aluminum body and cover
- 38 mesh screen
- 170 PSI
- 195°F
- 6.6 GPM
- 1/2" Female x Male



Part No.	Original No.	Description
8.709-976.0	342030	Black Anodized Finish
8.717-579.0	851079	Intake Water
8.704-055.0	109343	Replacement Filter

Heavy-Duty Inline Filters



- 1/2" Female x Male
- 50 mesh screen
- 8 GPM
- 145 PSI
- 140°F
- Unbreakable reinforced nylon cap



Part No.	Original No.	Description
8.709-974.0	342026	Filter
9.802-163.0	875048	With Auxiliary (bypass) Port (same as 2-1923)
8.704-172.0	109941	Replacement Filter

Clear Bowl Filters



- Low profile style
- MPT inlet & outlet
- White nylon body
- Clear bowl
- Stainless steel screen
- L 3", W 1-3/4", H 2-3/8"

Part No.	Original No.	Description
8.709-962.0	342012	1/4", 40 Mesh Screen
8.709-963.0	342013	1/4", 80 Mesh Screen
8.709-964.0	342014	3/8", 40 Mesh Screen
8.709-965.0	342015	3/8", 80 Mesh Screen
8.709-966.0	342016	1/2", 40 Mesh Screen
8.709-967.0	342017	1/2", 80 Mesh Screen
8.700-563.0	078214	80 Mesh Replacement Scrn
8.700-564.0	078215	40 Mesh Replacement Scrn

Chemical Line with Filter



- 6 foot long, 1/4" clear vinyl tubing

Part No.	Orig. No.	Description
Brass Filter		
8.903-991.0	340022X	w/ Check Valve
8.903-992.0	340023X	w/o Check Valve
Plastic Filter		
8.903-993.0	340024X	w/ Check Valve
8.903-996.0	340027X	w/o Check Valve

Inline Can-Type Filters & Parts



- 40 or 80 mesh filtration
- Heavy-duty molded plastic with stainless steel screen
- Hanger tab standard on 3/8", 1/2" and 3/4"
- Choose black or clear filter cans

Part No.	Original No.	Description
40 Mesh Filters		
8.709-982.0	342105	Black, 3/8"
8.709-986.0	342110	Black, 1/2"
8.709-990.0	342115	Black, 3/4"
8.709-994.0	342120	Black, 1"
8.710-001.0	342150	Black, 1-1/4"
8.710-003.0	342155	Black, 1-1/2"
8.709-983.0	342106	Clear, 3/8"
8.709-987.0	342111	Clear, 1/2"
8.709-991.0	342116	Clear, 3/4"
8.709-996.0	342123	Clear, 1"
8.710-002.0	342151	Clear, 1-1/4"
8.710-004.0	342156	Clear, 1-1/2"

Part No.	Original No.	Description
80 Mesh Filters		
8.709-988.0	342112	Black, 1/2"
8.709-992.0	342117	Black, 3/4"
8.709-995.0	342122	Black, 1"
8.710-005.0	342158	Black, 1-1/4"
8.709-999.0	342147	Black, 1-1/2"
8.709-989.0	342113	Clear, 1/2"
8.709-993.0	342118	Clear, 3/4"
8.709-997.0	342125	Clear, 1"
8.710-006.0	342159	Clear, 1-1/4"
8.710-000.0	342149	Clear, 1-1/2"

Part No.	Original No.	Description
Inline Can-Type Filter Parts - 3/8", 1/2", 3/4"		
8.700-555.0	078202	Gasket
8.700-557.0	078204	Viton Gasket
8.700-559.0	078207	Bowl - Standard Black
8.700-560.0	078208	Bowl - Clear
8.700-565.0	078216	40 Mesh Screen
8.700-567.0	078220	80 Mesh Screen
8.932-949.0	078223	3/8" Top with Tab
8.700-569.0	078224	1/2" Top with Tab
8.700-570.0	078225	3/4" Top with Tab

Part No.	Original No.	Description
Inline Can-Type Filter Parts - 1", 1-1/4", 1-1/2"		
8.700-556.0	078203	Gasket
8.700-558.0	078205	Viton Gasket
8.700-566.0	078217	40 Mesh Screen 1"
8.700-575.0	078233	40 Mesh Screen 1-1/4"
8.700-576.0	078234	40 Mesh Screen 1-1/2"
8.700-568.0	078221	80 Mesh Screen 1"
8.700-577.0	078237	80 Mesh Screen 1-1/4"
8.700-578.0	078238	80 Mesh Screen 1-1/2"
8.700-571.0	078226	1" Filter Top
8.700-572.0	078227	1-1/4" Filter Top
8.700-573.0	078230	Bowl Black - 1", 1-1/4", 1-1/2"
8.700-574.0	078231	Bowl Clear - 1", 1-1/4", 1-1/2"

Inline ClearView Filter



8.710-145.0

8.710-146.0

8.710-147.0

- Clear plastic cover
- Integrated garden hose connector
- 8 GPM, 150 PSI
- Strongest see-through filter on the market

Part No.	Original No.	Outlet	Inlet	Bypass
8.710-145.0	347091	3/8" MPT	3/4" GH	N/A
8.710-147.0	347093	3/8" MPT	3/4" GH	1/4"
8.710-144.0	347090	1/2" MPT	3/4" GH	N/A
8.710-146.0	347092	1/2" MPT	3/4" GH	1/4"

Y-Trap Strainer



- Brass bodies & cap
- FPT inlet & outlet
- Stainless steel 50 mesh cylinder screen
- 170 PSI
- 194°F

Part No.	Original No.	Description
8.709-956.0	342004	1/4"
8.709-957.0	342006	3/8"
8.709-958.0	342007	1/2"
8.709-959.0	342008	3/4"
8.709-960.0	342009	1"

Check / Foot Valve

Includes backflow check and perforated screen, prevents damage to pump or control valves.



- Removable stainless steel screen
- Spring-loaded check valve
- Cast brass bodies
- FPT outlet

Part No.	Original No.	Description
8.709-388.0	310882	1/2" Foot Valve/ Check & Screen
8.709-389.0	310883	3/4" Brass Spring Check Valve
8.709-390.0	310884	1" Brass Spring Check Valve
8.709-391.0	310886	1-1/2" Brass Spring Check Valve
8.709-392.0	310888	2" Brass Spring Check Valve

ST35 / 35R Suction Foot Valve



- Stainless steel screen
- Combination 1/2" / 3/4" hose barb
- Weighted to hold at bottom of tank or source

Part No.	Original No.	Description
8.709-970.0	342021	With Check Valve
8.709-969.0	342020	Without Check Valve
8.709-941.0	961527	Foot Valve with 1/4" Check Valve

Tank Screen / Strainer



- Stainless steel screen – 40 or 50 mesh
- PVC base – attaches to nipple or tubing
- Use for tank drain or chemical line

Part No.	Orig. No.	Mesh	FPT
8.707-076.0	935160	50	1/4"
8.707-077.0	935165	50	3/8"
8.710-011.0	342307	40	1/2"
9.802-162.0	935168	50	1/2"
8.710-013.0	342311	40	3/4"
8.707-078.0	935169	50	3/4"
8.707-079.0	935172	40	1"
8.710-016.0	342320	40	1-1/2"

High Pressure Nozzle Filters

Turbo Nozzle Protector.



8.710-151.0

8.710-149.0

8.709-979.0

8.710-150.0

- 1/4" MPT outlet
- 300°F
- 100 mesh screen
- 5000 PSI

Part No.	Original No.	Material	Inlet	Outlet
8.710-151.0	676973	Brass	1/4" FPT	1/4" MPT
8.709-979.0	342042	Brass	1/4" QC	1/4" MPT
8.710-149.0	799602	416 SS	1/4" QC	1/4" MPT
8.710-150.0	347098	Brass	1/4" MPT	1/4" MPT

High Volume Filter & Parts

Molded Plastic Housing



- 3/4" FPT inlet & outlet
- 125 PSI
- 12 GPM at 50 Micron
- 10 GPM at 5 or 20 Micron
- Clear-View sump
- 14-1/2" tall x 5-1/2" port to port

Part No.	Original No.	Description
8.710-017.0	342375	Housing Only
8.905-569.0	565375X	Mounting Bracket/Hardware
8.700-581.0	078280	Replacement O-Ring

- Pleated polyester/polypropylene core
- Recommended for large flow, low pressure applications (up to 60 PSI)

Part No.	Original No.	Description
Ultra Fine Filter Elements		
8.710-019.0	342380	5 Micron, 10 GPM
8.710-020.0	342382	20 Micron, 10 GPM
8.710-021.0	342384	50 Micron, 12 GPM

- Recommended for maximum filtration with reduced flow requirements (up to 130 PSI)

Part No.	Original No.	Description
Synthetic String Wound Elements		
8.710-022.0	342387	5 Micron, 4 GPM
8.710-023.0	342389	20 Micron, 5 GPM
8.710-024.0	342391	50 Micron, 6 GPM

HOTSY Fuel Filter/ Water Separator



- Extends life of fuel system
- Clear sediment bowl and washable screen
- Drain valve
- Filters gasoline and diesel fuel

Part No.	Original No.	Description
8.717-710.0	851084	Filter, Fuel/ Oil Water Separator
8.717-711.0	875490	Replacement Screen

Fuel Filter/Water Separator



- 10 micron filtration
- Spin-on convenience
- Water separation chamber
- 1/4" FPT inlet/outlet
- Easy drain water/sediment bowl

Part No.	Description
8.749-771.0	Complete Unit
8.749-770.0	Element

Fuel Filter/Water Separator



- 10 micron filtration
- Spin-on convenience
- Water separation chamber
- 1/4" FPT inlet/outlet
- Easy drain water/sediment bowl

Part No.	Description
8.725-306.0	Complete Unit
8.725-307.0	Element

Racor Filter Funnel



- 3.9 GPM
- Teflon Coated, Stainless Steel Filter
- Separates free water and contaminates from gasoline/diesel/kerosene

Part No.	Orig. No.	Description
8.709-955.0	341044	Filter Funnel

Fuel Filters

Inline – dissnasible



8.709-942.0



8.709-150.0



9.802-211.0

Part No.	Original No.	Description
9.802-211.0	676969	1/4" In/Out, Plastic
8.709-943.0	341003	3/8" In/Out, Plastic
8.709-942.0	341002	1/4" In/Out, Metal
8.709-150.0	851124	Gasoline Filter, Steel Can, 1/4" Nipple

General Fuel Filters



- Can type
- 10 GPH
- 10 micron filtration
- 1/4" FPT inlet/outlet
- Inexpensive replacement
- Wool felt element
- UL & CSA listed

Part No.	Orig. No.	Description
8.709-160.0	851140	Filter Unit
8.709-950.0	851141	Element

Aquadene Water Treatment System



8.709-425.0



8.709-426.0

- Reduces scale build-up
- Controls corrosion
- Clears up red water

Part No.	Original No.	Description
8.709-425.0	722452	Dispenser Housing without Cartridge
8.709-426.0	722453	Chem Cartridge, Treats 25,000 gal water

Clear Bowl Fuel Filter



- Aluminum Housing
- Clear Acrylic Bowl
- 120 Mesh SS Screen

Part No.	Orig. No.	Description
8.709-153.0	851080	Complete Unit, 3/8" x 3/8"
8.709-948.0*	341013	Complete Unit, 1/4" x 1/4"
8.717-711.0	875490	Replacement Screen for 8.709-153.0

* Non replaceable screen